L Number	Hits	Search Text	DB	Time stamp
-	216	java near2 reflect$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 15:53
-	12	java near2 reflect$3 same (wrapper or proxy)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 10:09
-	35	java same reflect$3 same (wrapper or proxy)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 10:09
-	23	(java same reflect$3 same (wrapper or proxy)) not (java near2 reflect$3 same (wrapper or proxy))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 10:11
-	2	("6385661").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 10:11
-	5	(US-6510550-$ or US-6385661-$ or US-6629128-$ or US-6622175-$ or US-6549955-$).did.	USPAT	2004/07/12 10:20
-	5	((US-6510550-$ or US-6385661-$ or US-6629128-$ or US-6622175-$ or US-6549955-$).did.) and (JDBC or JMS or connector or adapt$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 10:23
-	1	((US-6510550-$ or US-6385661-$ or US-6629128-$ or US-6622175-$ or US-6549955-$).did.) and (hand$4 and transaction)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 10:22
-	2831	(JDBC or JMS or connector) same (wrapper or proxy or interface) with (generat$3 or creat$3 or reflect$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 10:24
-	56	(JDBC or JMS or connector) same (wrapper or proxy or interface) with (generat$3 or creat$3 or reflect$3) with dynamic$8	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 10:24
-	1	((US-6510550-$ or US-6385661-$ or US-6629128-$ or US-6622175-$ or US-6549955-$).did.) and vendor	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 13:13
-	4	((US-6510550-$ or US-6385661-$ or US-6629128-$ or US-6622175-$ or US-6549955-$).did.) and superclass	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 10:52
-	2	("6385661").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 11:23

BEST AVAILABLE COPY

C:\APPS\east\workspaces\10706515.wsp

				USPAT;	2004/07/12 11:24
-		11	hot adj code with generat$3	US-PGPUB; EPO; DERWENT; IBM_TDB	
-		12	hot with code with java	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 12:03
-		1	((US-6510550-$ or US-6385661-$ or US-6629128-$ or US-6622175-$ or US-6549955-$).did.) and transaction	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 11:54
-		2	("6230005").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 12:03
-		2	("6263437").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 12:03
-		41	proxy same transaction same (format$4 or encod$4) same client same server	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 13:25
-		87	proxy same transaction same (format$4 or encod$4) same (client or server)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 13:26
-		46	(proxy same transaction same (format$4 or encod$4) same (client or server)) not (proxy same transaction same (format$4 or encod$4) same client same server)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 13:26
-		5	("5854750" | "5862327" | "6070184" | "6094688" | "6199068").PN.	USPAT	2004/07/12 13:46
-		2	6510550.URPN.	USPAT	2004/07/12 13:47
-		4	global adj transaction same (proxy or stub or wrap$4)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 13:49
-		19	(distribut$4 same transaction same (proxy or stub or wrap$4)).ab.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 14:25
-		0	(distribut$4 same transaction same (proxy or stub or wrap$4) with (map$4 or conver$6 or encod$4 or decod$4 or format$4 or translat$4)).ab.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 14:27
-		8	(distribut$4 same transaction same (proxy or stub or wrap$4) with (map$4 or conver$6 or encod$4 or decod$4 or format$4 or translat$4))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 14:52

BEST AVAILABLE COPY

-	2063	((proxy or stub or wrap$4) with (map$4 or conver$6 or encod$4 or decod$4 or format$4 or translat$4)) and transaction	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 14:53
-	905	((proxy or stub or wrap$4) with (map$4 or conver$6 or encod$4 or decod$4 or format$4 or translat$4) same (client or server)) and transaction	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 14:53
-	95	((proxy or stub or wrap$4) with (map$4 or conver$6 or encod$4 or decod$4 or format$4 or translat$4) same (client or server)) same transaction	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 14:53
-	29	((proxy or stub or wrap$4) with (map$4 or conver$6 or encod$4 or decod$4 or format$4 or translat$4) same (client or server)) same transaction	USPAT	2004/07/12 14:53
-	5	(("6567861") or ("6157960")).PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 15:01
-	1	6567861.URPN.	USPAT	2004/07/12 15:00
-	9	("5218713" | "5247676" | "5307490" | "5457797" | "5481721" | "5822585" | "5960087" | "6157960" | "6173327").PN.	USPAT	2004/07/12 15:00
-	2	("6510550").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/12 15:01
-	193	(719/330).CCLS.	USPAT	2004/07/12 15:53
-	22	((719/330).CCLS.) and @py = "2003"	USPAT	2004/07/12 15:54
-	3	("6314565").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/07/13 11:13

C:\APPS\east\workspaces\10706515.wsp